

Blue Jeans Cable

Network Cable Test Report -- for more details, protocols, etc. see
www.bluejeanscable.com/networkcablereports.htm



Cable ID: OCV-7D

Date / Time: 07/23/2013 09:57:42 AM

Headroom 0.4 dB (NEXT 36-78)

Test Limit: ISO Patch Cord Cat6A 2.5m

Cable Type: Cat 6A FTP

Operator: BJC

Software Version: 2.7400

Limits Version: 1.9300

NVP: 74.0%

Test Summary: FAIL

Model: DTX-1800


Main S/N: 2300619

Remote S/N: 2300620


Main Adapter: DTX-PC6A/MN ISO/IEC

Remote Adapter: DTX-PC6A/SR ISO/IEC


Wire Map	1	2	3	4	5	6	7	8	S
PASS									
(T568B)	1	2	3	4	5	6	7	8	S




Length (ft)	[Pair 12]	7
Prop. Delay (ns)	[Pair 36]	10
Delay Skew (ns)	[Pair 36]	1
Resistance (ohms)	[Pair 36]	2.4



PASS	Worst Case Margin		Worst Case Value	
	MAIN	SR	MAIN	SR
Worst Pair	36-78	36-78		
NEXT (dB)	0.4*	0.4		
Freq. (MHz)	466.0	466.0		
Limit (dB)	31.8	31.8		



FAIL	MAIN	SR	MAIN	SR
Worst Pair	78	78		
RL (dB)	-4.5F	4.4		
Freq. (MHz)	25.0	455.0		
Limit (dB)	24.0	10.1		



* Measurement is within the accuracy limits of the instrument.